RELAXA

RELAXING FURNITURE

Design: Márk Nagy-Mihály
Year: 2021

ELEMENTS

RLX-A



RLX-A-T
/ with side table



RLX-M
/ recessed



RLX-M-T
/ recessed with side table



SAMPLE COMBINATIONS



The technical information provided by VPI Ltd. may be modified at any time without prior notice. We protect intellectual property.
info@vpi.hu / +36 1 789 79 66 / www.vpi.hu

RELAXA

RELAXING FURNITURE

Design: Márk Nagy-Mihály
Year: 2021

INFO

Material:	high performance concrete (HPC)
Standard colour:	white
Finish:	natural cast
Treatment:	impregnated
Lifting:	with lifting straps
Placement:	on load-bearing, ready-to-use walking surface/ on concrete foundation
Fixing:	by anchoring
Cleaning:	with neutral detergent



MEASUREMENTS

0 500 mm

RLX-A
650 kg



RLX-M/ recessed
/ for placement on grass, gravel etc.
760 kg





INSTALLATION

The product may be lifted with lifting straps. The product is fixed with antifreeze adhesive or with anchor bolts to load-bearing walking surface or to concrete foundation.
For further information see Installation Guide.

MAINTENANCE

The product may be cleaned with neutral detergent.
For further information see Maintenance Guide.

The technical information provided by VPI Ltd. may be modified at any time without prior notice. We protect intellectual property.
info@vpi.hu / +36 1 789 79 66 / www.vpi.hu

RELAXA

RELAXING FURNITURE

Design: Márk Nagy-Mihály
Year: 2021

INFO

Material:	high performance concrete (HPC)
Standard colour:	white
Finish:	natural cast
Treatment:	impregnated
Metal:	powder coated galvanized steel
Standard metal clour:	anthracite gray – RAL 7016
Lifting:	with lifting straps
Placement:	on load-bearing, ready-to-use walking surface/ on concrete foundation
Fixing:	by anchoring
Cleaning:	with neutral detergent

MEASUREMENTS

0 500 mm

RLX-A-T/ with side table
650 kg



RLX-M-T/ recessed with side table
/ for placement on grass, gravel etc.
760 kg



INSTALLATION

The product may be lifted with lifting straps. The product is fixed with antifreeze adhesive or with anchor bolts to load-bearing walking surface or to concrete foundation.
For further information see Installation Guide.

MAINTENANCE

The product may be cleaned with neutral detergent.
For further information see Maintenance Guide.

The technical information provided by VPI Ltd. may be modified at any time without prior notice. We protect intellectual property.
info@vpi.hu / +36 1 789 79 66 / www.vpi.hu